ANTI-ATHEROSCLEROTIC AND HEPATOPROTECTIVE EFFECTS OF TRIHONEY IN HYPERCHOLESTEROLEMIC RABBITS

BY

HAMAD ABDULSALAM HAMAD ALFARISI

A thesis submitted in fulfilment of the requirement for the degree of Doctor of Philosophy in Health Sciences

Kulliyyah of Allied Health Sciences International Islamic University Malaysia

SEPTEMBER 2020

ABSTRACT

Cardiovascular diseases are major contributor to morbidity and mortality worldwide. Atherosclerosis is a leading cause to cardiovascular diseases in addition to its pathogenic association with non-alcoholic fatty liver disease (NAFLD). Protection against atherosclerosis and NAFLD constitutes a global aim. Modern trend has emerged to reintroduce natural products such as honey for management of these metabolic epidemics because of the less side effects perhaps. In the present study, Trihoney was investigated for its anti-atherosclerotic and hepatoprotective effects in diet induced hypercholesterolemic rabbits model. Forty-eight male New Zealand white rabbits were randomly assigned to one of 6 groups. First group was fed only commercial rabbit diet, second group was fed commercial rabbit diet with 0.6g of Trihonev/kg/day, third group was fed 1% cholesterol diet, fourth and fifth groups were fed 1% cholesterol diet with 0.3 and 0.6 g of Trihoney/kg/day while the last group was fed 1% cholesterol diet plus 2mg of atorvastatin/kg/day. Experiment continues for 12 weeks duration. Blood samples were withdrawn before and after the experimental period. Aorta and liver were harvested and processed for homogenate and histopathological studies. In the first phase, Trihoney was investigated for its lipid lowering and anti-inflammatory effects through analysis of serum lipids [total cholesterol (TC), low-density lipoprotein (LDL-c), high-density lipoprotein (HDL-c), triglycerides (TG) and TC/HDL risk ratio] and by assay of serum pro-atherogenic inflammatory cytokines [interleukin-1β (IL-1β), interleukin-6 (IL-6) and tumour necrosis factor-α (TNF-α)]. The results showed that Trihoney had significant lipid lowering and marked anti-inflammatory effects. In the second phase, Trihoney was assessed for antioxidant function by analysing serum and aorta homogenate for superoxide dismutase (SOD), glutathione peroxidase (GPx) and malondialdehyde (MDA), in addition to analysing serum for oxidised-LDL (Ox-LDL). Results showed that Trihonev exerted significant antioxidant effects systemically as well as locally in the aorta. In the third phase, Trihoney was investigated of its effects on the atherosclerotic plaques, inflammatory adhesion molecules such as intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1) and on homocysteine. Results showed that Trihoney had significant anti-inflammatory and vascular protective functions. In the fourth phase, Trihoney was examined for hepatoprotective function against NAFLD through histopathological study and via assay of serum alanine aminotransferase (ALT), aspartate aminotransferase (AST), gamma-glutamyl transferase (GGT), total bilirubin (T. Bil.), alkaline phosphatase (ALP), fasting glucose, fasting insulin and homeostasis model assessment of insulin resistance (HOMA-IR). In addition to antioxidant assay of liver homogenate for SOD, GPx and MDA. Results showed that under status of sustained hypercholesterolemia, able to normalise hepatic function in NAFLD hypercholesterolemia, Trihoney showed no effect on fasting glucose, insulin and HOMA-IR, Trihoney exhibited significant antioxidant effect against hepatic oxidative stress and it was protective against progression of NAFLD to non-alcoholic steatohepatitis (NASH). Accordingly, Trihoney has a potential protective role against atherosclerosis and NAFLD through hypocholesterolemic, antioxidant and antiinflammatory functions. Further studies may be needed to explore possible molecular mechanisms underlying those health beneficial properties of Trihoney.

خلاصة البحث

تعتبر أمراض القلب والأوعية الدموية المساهم الرئيسي في الوفايات على مستوى العالم. ويعد تصلب الشرايين (Atherosclerosis) سببا مباشرا لأمراض القلب والأوعية الدموية بالأضافة الى ارتباطه الممرض بمرض الكبد الدهني غير الكحولي (NAFLD). حديثا أعتبر العمل على الوقاية من مرض تصلب الشرايين ومرض الكبد الدهني غير الكحولي هدفا عالميا. هناك ظهور لتوجه حديث لإعادة المنتجات الطبيعية مثل العسل واستخدامها في علاج هذه الأوبئة الأيضية. في هذه الدراسة تم التحقق من الأثر الوقائي للعسل الثلاثي ضد مرض تصلب الشرايين ومرض الكبد الدهني غير الكحولي باستخدام نموذج غذائي مفرط الكوليستيرول في الأرانب النيوزيلاندية البيضاء. تم توزيع 48 أرنبا ذكرا الى 6 مجموعات. تم تغذية المجموعة الأولى بالغذاء التجاري للأرانب والمجموعة الثانية بالغذاء التجاري للأرانب بالأضافة الى جرعة يومية من العسل الثلاثي بمقدار 0.6 جم/كجم/يوم. أما المجموعة الثالثة فتم تغذيتها فقط بالغذاء المرتفع الكوليستيرول والمجموعتين الرابعة و الخامسة تم تغذيتهما بالغذاء مرتفع الكوليستيرول بالأضافة الى جرعة يومية من العسل بمقدار 0.3 و 0.6 جم/كجم/يوم على التوالي. أما المجموعة السادسة تم تغذيتها بالغذاء المرتفع الكوليستيرول بالأضافة الى جرعة يومية من دواء الأتورفاستاتين المخفض للدهون بمقدار 2 ملجم/كجم/يوم. استمرت التجربة لمدة 12 أسبوعا.تم اختبار معدل الدهون و وظائف الكبد والأنزيمات المضادة للأكسدة وكذلك تم اختبار المؤشرات اللألتهابية الدالة على تصلب الشرايين في مصل الدم. وتمت دراسة مضادات الأكسدة في كل من نسيجي الشريان الأورطي والكبد وتم ايضا اجراء دراسة نسيجية على كل من الشريان الأورطي والكبد باستخدام تقنيات متعددة لصبغ الأنسجة. أظهرت النتائج التأثير الوقائي للعسل الثلاثي ضد مرض تصلب الشرايين وضد مرض الكبد الدهني غير الكحولي عن طريق خفض معدل الدهون والحفاظ على وظائف الكبد في معدلها الطبيعي بالأضافة الى الدور الوقائي المضاد للأكسدة وخفض مؤشرات التهاب تصلب الشرايين. كما أظهر العسل الثلاثي دورا وقائيا على مستوي خفض لويحات تصلب الشرايين والتركيب النسيجي للكبد. بناء على ذلك فأن للعسل الثلاثي دورا وقائيا ضد تصلب الشرايين ومرض الكبد الدهني غير الكحولي من خلال خفض معدل الدهون و الألتهابات. بالإضافة إلى قدرة العسل الثلاثي على إخماد الأكسدة المصاحبة لهذه الأمراض. قد تكون هناك حاجة الى دراسات مستقبلية لأستكشاف اليات عمل العسل الثلاثي على المستوي الجزيئي و الجيني.

APPROVAL PAGE

The thesis of Hamad Abdulsalam Hamad Alfarisi has been approved by the following:

Muhammad Bin Ibrahim Supervisor Asmah Hanim Bt. Hamdan Co-Supervisor Radiah Bt. Abdul Ghani Internal Examiner Hamid Jan B. Jan Mohamed **External Examiner** Kamarul Ariffin Khalid Chairman

DECLARATION

I hereby declare that this thesis is the result of m	y own investigations, except where
otherwise stated. I also declare that it has not	t been previously or concurrently
submitted as a whole for any other degrees at IIUM	M or other institutions.
Hamad Abdulsalam Hamad Alfarisi	
Signature	Date

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA

DECLARATION OF COPYRIGHT AND AFFIRMATION OF FAIR USE OF UNPUBLISHED RESEARCH

ANTI-ATHEROSCLEROTIC AND HEPATOPROTECTIVE EFFECTS OF TRIHONEY IN HYPERCHOLESTEROLEMIC RABBITS

I declare that the copyright holders of this thesis are jointly owned by the student and IIUM.

Copyright © 2020 by Hamad Abdulsalam Hamad Alfarisi and International Islamic University Malaysia. All rights reserved.

No part of this unpublished research may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior written permission of the copyright holder except as provided below

- 1. Any material contained in or derived from this unpublished research may be used by others in their writing with due acknowledgement.
- 2. IIUM or its library will have the right to make and transmit copies (print or electronic) for institutional and academic purposes.
- 3. The IIUM library will have the right to make, store in a retrieved system and supply copies of this unpublished research if requested by other universities and research libraries.

By signing this form, I acknowledged that I have read and understand the IIUM Intellectual Property Right and Commercialization policy.

Affirmed by Hamad Abdulsalam Hamad Alfarisi	
Signature	Date

ACKNOWLEDGEMENTS

In the name of Allah, the Entirely Merciful, Especially Merciful. And may His peace and blessings be upon our Prophet Muhammad the Messenger of Allah. Foremost I thank Allah for helping me to complete this work as a requirement for the degree of Doctor of Philosophy in Health Sciences-Nutrition Sciences.

To my parents I would like to express my warmest gratitude, and immeasurable love and appreciation, all the support they have provided me over the years was the greatest gift anyone has ever given me, they pray for me with each heartbeat, with each sunrise and sunset, I dedicated this work.

I would like to express my deepest gratitude to my supervisor Assoc. Prof. Dr. Muhammad Bin Ibrahim for his guidance, encouragement, patience, indispensable advice, information and support, throughout this project. I pray that Allah support and bless you and your highly respected family.

I would like to extend my thanks to my co supervisors Asst. Prof. Dr. Asmah Hanim and Asst. Prof. Dr. Che Anuar Che Mohamad for their advice and for their support during my laboratory work.

To my family, I would like to stand with a great love and appreciation, my family provided me the help, the support and the motivation. This journey would not have been possible without the support of my wife Zenab Bubaker Hamad, thank you my beloved wife for encouraging, and supporting me. To my sons, Hothaifa and Mohammed you are the gift that Allah gave me, you are the spirit by which I am living, may Allah bless and protect you.

I would also like to express my sincere gratitude to Libyan Programme for Reintegration and Development and to Libyan Ministry of Higher Education who sponsor me during my stay in Malaysia.

I am also thankful to the entire staff of Kulliyyah of Allied Health Sciences, Central Research and Animal Facility (CREAM, IIUM Kuantan), Department of Basic Medical Sciences at Kulliyyah of Pharmacy and Histopathology and Laboratory Medicine at IIUM Medical Centre for providing facilities and suitable working environment during my research.

Finally, the best thing I would like to say is "Alhamdu liLLAHI Rabbil A'lamin".

TABLE OF CONTENTS

Abstract	ii
Abstract in Arabic	iii
Approval Page	
Declaration	
Copyright Page	
Acknowledgements	
Table of contents	
List of Tables	
List of Figures	
List of Abbreviations	
List of Symbols	
2101 01 071110 010	•• 2121
CHAPTER ONE: INTRODUCTION	1
1.1 Background of the Study	
1.2 Statement of Research Problem and Significance of the Study	
1.3 Research Objectives	
1.3.1 General Objective	
1.3.2 Specific Objectives	
1.3.3 Research Questions	
1.3.4 Hypothesis	
1.3.7 Hypothesis	/
CHAPTER TWO: LITERATURE REVIEW	8
2.1 Noncommunicable Diseases	
2.2 Cardiovascular Diseases (CVD)	
2.2.1 Epidemiology and Global Burden of Cardiovascular Diseases	
2.2.2 Economic Burden of Cardiovascular Diseases	
2.2.3 Cardiovascular Diseases in Malaysia	
2.2.4 Risk Factors of Cardiovascular Diseases	
2.2.4.1 Dyslipidaemia and Hypercholesterolemia	
2.2.4.2 Biochemical Definition of Normal Lipid Profile and	10
Dyslipidaemia	17
· · · · · · · · · · · · · · · · · · ·	
2.2.4.3 Physiology of Cholesterol and Lipoproteins	
2.2.4.4 Blood Cholesterol and Lipoproteins in Cardiovascular	
Risk Assessment	
2.2.6 Treatment of Cardiovascular Diseases	
2.2.6.1 Lipid Lowering Drugs	
2.3 Atherosclerosis	
2.3.1 Definition of Atherosclerosis	
2.3.2 Atherosclerosis Risk Factors	24
2.3.2.1 Low Density Lipoprotein Cholesterol (LDL-c) and	
Small Dense Low-Density Lipoprotein (sdLDL)	24
2.3.2.2 Novel Atherosclerotic Risk Biomarkers and Their	
Clinical Significance	
2.3.2.2.1 Homocysteine	26

	2.3.2.2.2 High-Sensitivity C-reactive Protein (hs-CRP)	
	2.3.2.2.3 Triglycerides (TG)	28
	2.3.3 Inflammatory Biomarkers of Atherosclerosis	28
	2.3.3.1 Inflammatory Cytokines	29
	2.3.3.2 Tumour Necrosis Factor-α (TNF-α)	29
	2.3.3.3 Intercellular Adhesion Molecule-1 (ICAM-1) and	
	Vascular Cell Adhesion Molecule-1 (VCAM-1)	30
	2.3.4 Pathogenesis of Atherosclerosis	
	2.3.4.1 Development of Atherosclerotic Fatty Streaks	33
	2.3.4.1.1 Trapping and Oxidation of Low Density	
	Lipoprotein Cholesterol (LDL-c)	34
	2.3.4.1.2 The Pathological Hallmark of Fatty Streaks	
	Development	35
	2.3.4.2 Inflammatory and Immune Mechanisms Induced by	
	Oxidized LDL-c	35
	2.3.4.3 Atherosclerotic Lesion Progression Induced by	
	Oxidized LDL-c in Conjunction with Inflammatory	
	Role of Macrophages	36
	2.3.4.4 Role of Oxidative Stress in the Pathogenesis of	
	Atherosclerosis	37
	2.3.4.4.1 Oxidized LDL-C Induces Oxidative Stress	38
	2.3.4.4.2 Mechanisms of Oxidative Stress in	
	Atherosclerosis	38
	2.3.4.5 Role of Diet and Intestinal Flora in the Pathogenesis of	
	Atherosclerosis	39
	2.3.5 Complications and Clinical Consequences of Atherosclerosis	40
	2.3.6 Therapeutic Approaches for Atherosclerosis	42
	2.3.6.1 Drugs for Management of Atherosclerosis	43
	2.3.6.2 On the Horizon Anti-Atherosclerotic Drugs	45
	2.3.6.3 Role of Diet in Protection Against Atherosclerosis	47
	2.3.6.4 Dietary Patterns Protective Against Atherosclerosis	49
2.4	Non-Alcoholic Fatty Liver Disease (NAFLD) and Atherosclerosis	50
	2.4.1 Liver and Lipid Metabolism	50
	2.4.2 Hepatic Cholesterol Metabolism	51
	2.4.3 Liver X Receptors (LXR)	52
	2.4.4 Role of Liver X Receptors in Atherosclerosis	52
	2.4.5 Non-Alcoholic Fatty Liver Disease (NAFLD)	53
	2.4.5.1 Histological Grading and Staging of Non-Alcoholic	
	Steatohepatitis	54
	2.4.6 Mechanisms of Non-Alcoholic Fatty Liver Disease	56
	2.4.7 Links Between Non-Alcoholic Fatty Liver Disease and	
	Atherosclerosis	57
	2.4.8 Possible Mechanisms Linking Atherosclerosis with Non-	
	Alcoholic Fatty Liver Disease	58
	2.4.8.1 Dyslipidaemia	
	2.4.8.2 Insulin Resistance	
	2.4.8.3 Oxidative Stress	59
	2.4.8.4 Inflammation	59
	2.4.8.5 Adipokines	60
	2. 1.0.5 1 talpokines	00

2.4.9 Treatment of Non-Alcoholic Fatty Liver Disease	61
2.4.9.1 Medical Treatment of Non-Alcoholic Fatty Liver	
Disease	61
2.4.9.2 Dietary Management of Non-Alcoholic Fatty Liver	
Disease	61
2.5 Honey	
2.5.1 Composition and Quality of Honey	
2.5.2 Honey in Islamic Perspectives	
2.5.3 Bee Taxonomy	
2.5.4 Mellifera Honey	
2.5.5 Dorsata Honey	
2.5.6 Trigona Honey	
2.5.7 Honey Can Modulate Cardiovascular Risk Factors	
2.5.8 Honey as Hepatoprotective Natural Product	
2.5.9 Honey as A natural Antioxidant	
2.5.10 Therapeutic Benefits of Honey	
2.5.10.1 Honey as Anti-Inflammatory Agent	
2.5.10.2 Honey in Wound Healing	
2.5.10.3 Honey as Anti-Microbial Agent	
2.5.10.4 Honey and Diseases of Gastrointestinal Tract (GIT).	
2.5.10.5 Some Other Medical Applications of Honey	
2.5.11 Trihoney	81
2.6 Research Animal Models of Hypercholesterolemia and	0.0
Atherosclerosis	82
2.6.1 Rabbits as A model of Hypercholesterolemia and	0.2
Atherosclerosis	83
CHAPTER THREE: METHODOLOGY	06
3.1 Materials	
3.1.1 Equipment	
3.2 Methods	
3.2.1 Sample Size Calculation	
3.2.2 Ethical Approval	
3.2.3 Dosage of Trihoney	
3.2.4 Preparation of 1% Cholesterol Diet	91
3.2.5 Preparation of Atorvastatin for Oral Gavage	
3.2.6 Animal, Diet, Treatment and Sacrificing Procedures	
3.2.7 Blood Collection and Serum Separation	
3.2.8 Organ Harvesting	
3.2.8.1 Aorta Harvesting	
3.2.8.2 Liver Harvesting	
3.2.9 Preparation of Aortic and Liver Tissue Homogenates	
3.2.10 Protein Assay of Tissue Homogenates	
3.2.11 Enzyme Linked Immunosorbent Assay (ELISA) for Serum	103
and Tissue Homogenate	104
3.2.11.1 Serum Lipid Peroxidation (Malondialdehyde-MDA)	
3.2.11.2 Tissue Homogenates Lipid Peroxidation	
(Malondialdehyde-MDA) Assay	105
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	

3.2.12 Histopathology Study of Aorta	106
3.2.12.1 Histopathological Study with Haematoxylin and	
Eosin (H&E) Stain	.106
3.2.12.1.1 Aorta Fixation	.106
3.2.12.1.2 Grossing	.106
3.2.12.1.3 Tissue Processing	
3.2.12.1.4 Tissue Embedding	
3.2.12.1.5 Trimming and Sectioning	
3.2.12.1.6 Haematoxylin and Eosin (H&E) Staining of	
Aorta	107
3.2.12.1.7 Deparaffinisation	
3.2.12.1.8 Hydration	
3.2.12.1.9 Haematoxylin and Eosin Staining	
3.2.12.1.10 Dehydration	
3.2.12.1.11 Mounting	
3.2.12.1.11 Mounting 3.2.12.1.12 Slide Inspection and Picture Caption	
1 1	109
3.2.12.2 Histopathological Study with Masson's Trichrome	100
(MT) Stain	
3.2.12.2.1 Deparaffinisation	
3.2.12.2.2 Hydration	
3.2.12.2.3 Masson's Trichrome Staining	
3.2.12.2.4 Dehydration, Mounting, and Picture Caption	
3.2.13 Histopathology Study of Liver	.110
3.2.13.1 Histopathological Study of Liver Using	110
Haematoxylin & Eosin (H&E) Staining	.110
3.2.13.2 Histopathological Study of Liver Using Masson's	
Trichrome Stain	
3.2.14 Statistical Analysis	.111
CHAPTER FOUR: SERUM LIPID LOWERING EFFECT AND ANTI-	
INFLAMMATORY POTENTIAL OF TRIHONEY AGAINST THE	
INFLAMMATORY CYTOKINES IN RABBITS FED HIGH	
	112
CHOLESTEROL DIET	
4.1 Introduction	
4.2 Methodology	
4.2.1 Body Weight and Food Intake Measurement	
4.2.2 Serum Lipid Profile Analysis	113
4.2.3 Enzyme Linked Immunosorbent Assay (ELISA) For Serum	110
Pro-Atherogenic Inflammatory Cytokines	113
4.2.3.1 Serum Interleukin-1β	
4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis	.113
4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis Factor-Alpha (TNF-α)	.113
4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis Factor-Alpha (TNF-α)	.113
4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis Factor-Alpha (TNF-α)	113
 4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis Factor-Alpha (TNF-α)	113
4.2.3.2 Serum Interleukin-6 (IL-6) and Tumour Necrosis Factor-Alpha (TNF-α)	113 115 116

4.3.3 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Inflammatory Cytokine: Interleukin-1β (IL-1β) and its	
Correlation with the Lipid Profile	.122
4.3.4 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Inflammatory Cytokine: Interleukin-6 (IL-6)	124
4.3.5 Effects of Trihoney and 1% Cholesterol Diet on Serum	. 1 2 1
Inflammatory Cytokine: Tumour Necrosis Factor $-\alpha$ (TNF- α)	125
4.4 Discussion	. 120
4.4.1 Effects of Trihoney and 1% Cholesterol Diet on Animal's	
Food Intake and Body Weight	.126
4.4.2 Effects of Trihoney and 1% Cholesterol Diet on Serum Lipid	
Profile	.128
4.4.3 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Cytokines: Interleukin-1β (IL-1β), Interleukin-6 (IL-6) and	
Tumour Necrosis Factor-Alpha (TNF-α)	.133
4.5 Conclusion	
	. 10 ,
CHAPTER FIVE: ANTIOXIDANT EFFECTS OF TRIHONEY	
AGAINST OXIDATIVE STRESS IN THE SERUM AND IN THE	
VASCULAR WALL OF RABBITS FED HIGH CHOLESTEROL DIET	130
5.1 Introduction	
5.2 Methodology	
5.2.1 Serum Preparation	
5.2.2 Preparation of Aortic Tissue Homogenate	. 140
5.2.3 Antioxidant Enzyme Assay for Serum and Aortic Tissue	
Homogenate	.141
5.2.3.1 Superoxide Dismutase (SOD) Assay	.141
5.2.3.2 Glutathione Peroxidase (GPx) Assay	.142
5.2.4 Enzyme Linked Immunosorbent Assay (ELISA)	
5.2.4.1 Serum Oxidised Low-Density Lipoprotein (Ox-LDL)	
5.2.4.2 Assay of Lipid Peroxidation (Malondialdehyde-MDA)	
in Serum and in Aortic Tissue Homogenate	
5.3 Results	
	. 140
5.3.1 Effects of Trihoney and 1% Cholesterol Diet on Activities of	
Superoxide Dismutase (SOD) and Glutathione Peroxidase	1.4.0
(GPx) in the Serum	. 146
5.3.2 Effects of Trihoney and 1% Cholesterol Diet on Activities of	
Superoxide Dismutase (SOD) and Glutathione Peroxidase	
(GPx) in Aorta Homogenate	.147
5.3.3 Effects of Trihoney and 1% Cholesterol Diet on Serum Level	
of Oxidised Low-Density Lipoprotein (Ox-LDL) and	
Correlation with Serum Lipid Profile	.149
5.3.4 Effects of Trihoney and 1% Cholesterol Diet on Lipid	-
Peroxidation-Malondialdehyde (MDA) in Serum and in	
Aorta Homogenate	151
5.4 Discussion	
	. 132
5.4.1 Effect of Trihoney on Activity of Antioxidant Enzymes in the	1.50
Serum and in Homogenate of Aorta	. 152

5.4.2 Effects of Trihoney on Serum Level of Oxidised Low-	
Density Lipoprotein (Ox-LDL) and on Lipid Peroxidation	156
5.5 Conclusion	162
CHAPTER SIX: EFFECTS OF TRIHONEY ON ATHEROSCLEROTIC	
PLAQUES, SERUM INFLAMMATORY ADHESION MOLECULES	
AND HOMOCYSTEINE IN RABBITS FED HIGH CHOLESTEROL	
DIET	164
6.1 Introduction	164
6.2 Methodology	
6.2.1 Gross Examination and Scoring of Fatty Streaks	
6.2.2 Study with Sudan IV Stain	166
6.2.3 Histopathological Study with Haematoxylin and Eosin (H&E) Stain	166
6.2.4 Histopathological Study with Verhoeff-van Gieson (VGS) Stain	167
6.2.5 Histopathological Study with Masson's Trichrome (MT) Stain	
6.2.6 Measurement of Tunica Intima, Tunica Media,	100
Atherosclerotic Plaque Thicknesses, and Histopathological	1.60
Description	
6.2.7 Enzyme Linked Immunosorbent Assay (ELISA)	
6.2.7.1 Serum Intercellular Adhesion Molecule-1 (ICAM-1)	
6.2.7.2 Serum Vascular Cell Adhesion Molecule-1 (VCAM-1)	
6.2.7.3 Serum Homocysteine	
6.3.1 Effect of Trihoney and 1% Cholesterol Diet on Quantity of	1 / 1
Atherosclerotic Lesions and Correlation with the Serum	
Lipid Profile, Oxidised Low-density Lipoprotein and	
Interleukin-1β	171
6.3.2 Effects of Trihoney on Thickness of Tunica Intima and	1 / 1
Tunica Intima/Tunica Media Thickness Ratio and	
Correlation with the Lipid Profile	175
6.3.3 Effects of Trihoney and 1% Cholesterol Diet on the Histology	1 7 0
of Aortic Wall	182
6.3.3.1 Haematoxylin and Eosin (H&E) Study	
6.3.3.2 Verhoeff-van Gieson (VGS) and Masson's Trichrome	102
(MT) Stains Study	187
6.3.4 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Adhesion Molecules	195
6.3.4.1 Effect of Trihoney and 1% Cholesterol Diet on Serum	
Intercellular Adhesion Molecule-1 (ICAM-1)	195
6.3.4.2 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Vascular Cell Adhesion Molecule-1 (VCAM-1)	
6.3.5 Effects of Trihoney and 1% Cholesterol Diet on Serum	
Homocysteine	199
6.4 Discussion	200

6.4.1 Effects of Trihoney on Atherosclerotic Lesions and	
Correlations with Serum Lipid Profile, Oxidised Low-	
density Lipoprotein and Interleukin-1β	200
6.4.2 Effects of Trihoney on Thickness of Tunica Intima,	
Atherosclerotic Plaque and Tunica Intima/Tunica Med	lia
Thickness Ratio and Correlation with Lipid Profile	
6.4.3 Effects of Trihoney on Histopathology of Aorta	
6.4.4 Effects of Trihoney on Serum Intercellular Adhesion	
Molecule-1 (ICAM-1), Vascular Cell Adhesion Molec	cule-1
(VCAM-1) and Correlation with Serum Lipid Profile a	
Aortic Lesions	
6.4.5 Effect of Trihoney on Serum Homocysteine Level	
6.5 Conclusion	
PTER SEVEN: HEPATOPROTECTIVE EFFECTS ONEY AGAINST NON-ALCOHOLIC FATTY LIVER DIS	SEASE
LD) IN RABBITS FED HIGH CHOLESTEROL DIET- H ATHEROSCLEROSIS	
7.1 Introduction	216
7.2 Methodology	217
7.2.1 Measurement of Relative Liver Weight	218
7.2.2 Histopathological Study	218
7.2.2.1 Study with Haematoxylin and Eosin (H&E) Sta	in218
7.2.2.2 Study with Masson's Trichrome Stain	
7.2.3 Analysis of Liver Function Test, Fasting glucose, Fasting	
Insulin and Calculation of HOMA-IR	
7.2.4 Preparation of Liver Tissue Homogenate	
7.2.5 Antioxidant study	
7.2.5.1 Serum Superoxide Dismutase (SOD) Assay	
7.2.5.2 Glutathione Peroxidase (GPx) Assay	
7.2.5.2 Glutathiolic Peroxidate (GFA) Assay	
in Liver Homogenate	
7.3 Results	
7.3.1 Effect of Trihoney and 1% Cholesterol Diet on Relative	
Weight and on Liver Histopathology	
7.3.1.1 Macroscopic Study and Relative Organ Weight	221
7.3.1.2 Microscopic Histopathological Study with	
Haematoxylin and Eosin (H&E) and Masson's	
Trichrome (MT) Stains	225
7.3.2 Effect of Trihoney and 1% Cholesterol Diet on Liver	
Function and Correlation with Serum Lipid Profile	
7.3.3 Effect of Trihoney on Insulin Resistance in Established	Non-
Alcoholic Fatty Liver Disease	
7.3.4 Antioxidant Effects of Trihoney on Established Non-	
Alcoholic Fatty Liver Disease (NAFLD)	239
7.3.4.1 Effect of Trihoney on Activities of Superoxide	
Dismutase (SOD) and Glutathione Peroxidase (
Livel Hollogeliate of Non-Alcoholic Fatty Live	er
Liver Homogenate of Non-Alcoholic Fatty Live Disease (NAFLD)	

7.3.4.2 Effect of Trihoney on Lipid Peroxidation	
(Malondialdehyde-MDA) in Liver Homogenate of	
Non-Alcoholic Fatty Liver Disease (NAFLD)	240
7.4 Discussion	241
7.4.1 Effects of Trihoney and 1% Cholesterol Diet on	
Histopathology of Liver in Non-Alcoholic Fatty Liver	
Disease	241
7.4.2 Effects of Trihoney and 1% Cholesterol Diet on Liver	
Function in Established Non-Alcoholic Fatty Liver Disease	
(NAFLD)	245
7.4.3 Effect of Trihoney on Insulin Resistance in Established Non-	
Alcoholic Fatty Liver Disease (NAFLD)	249
7.4.4 Effects of Trihoney on Activities of Antioxidant Enzymes,	
Oxidative Stress and on Lipid Peroxidation in Non-	
Alcoholic Fatty Liver Disease (NAFLD)	250
7.4.5 Link Between Non-Alcoholic Fatty Liver Disease (NAFLD)	
and Atherosclerosis	254
7.5 Conclusion	
CHAPTER EIGHT: GENERAL DISCUSSION AND	
RECOMMENDATION	258
8.1 General Discussion	258
8.2 General Conclusion	261
8.3 Postulated Mechanistic Pathway for the Protective Functions of	
Trihoney Against Atherosclerosis and Non-Alcoholic Fatty Liver	
Disease	263
8.4 Recommendation	264
8.5 Limitation of the Study	264
REFERENCES	265
APPENDIX I: TRIHONEY	320
APPENDIX II: JOURNAL ARTICLES	
APPENDIX III: ACADEMIC AWARDS/WORKSHOPS	331

LIST OF TABLES

<u>Гable No</u>	<u>-</u>	Page No.
2.1	The Five Major Lipid Modifying Drugs	22
2.2	Histopathological Progression and Characteristics of Atherosclerotic Plaque	41
2.3	Histopathological Classification of Atherosclerotic Plaque According the American Heart Association (AHA)	to 42
2.4	Staging and Grading System for Non-Alcoholic Steatohepatitis	55
2.5	Staging System of Fibrosis in Non-Alcoholic Steatohepatitis	55
2.6	Average Composition of Honey	66
2.7	Composition and Some Biochemical Characteristics of Trihoney	82
3.1	Nutrition Information of the Extra Virgin Coconut Oil	93
3.2	Nutritional Composition of the Standard Rabbit Pellet Used in the Animal Experiment (Percentage/25kg), Perternakan Hong Lee Sdn. Bhd	95
3.3	Grouping and Treatment of Animals	96
4.1	Effects of 1% Cholesterol Diet and Trihoney on Animal's Food Intak and Body Weight at Week 0 and Week 12	te 117
4.2	Baseline, Week 12 and Percentage Change (%) of Serum Total Cholesterol (TC) and Low-Density Lipoprotein (LDL-c)	120
4.3	Baseline, Week 12 and Percentage Change (%) of Serum High-Densi Lipoprotein (HDL-c) and Triglycerides (TG)	ty 120
4.4	Effects of 1% Cholesterol Diet and Trihoney on Serum Interleukin-1 β (IL-1 β) at Week 12	3 123
4.5	Correlation Between Serum Interleukin-1β (IL-1β), Serum Total Cholesterol (TC) and Serum Low-Density Lipoprotein Cholesterol (LDL-c)	124
4.6	Effects of 1% Cholesterol Diet and Trihoney On Serum Interleukin-6 (IL-6) at Week 12	125
4.7	Effects of Trihoney and 1% Cholesterol Diet on Serum Tumour Necrosis Factor-α (TNF-α) at Week 12	126

5.1	Correlation (r) Between Serum Oxidised Low-Density Lipoprotein (Ox-LDL) Level and Serum Lipid Profile	151
5.2	Effect of Trihoney and 1% Cholesterol Diet on Malondialdehyde (MDA) Concentration in Serum and in Aortic Homogenate at Week 12	152
6.1	Correlation (<i>r</i>) Between Aortic Lesion Area Percentage, Serum Lipid Profile and Oxidised Low-density Lipoprotein	174
6.2	Correlation Between Aortic Lesion Area Percentage and Serum Interleukin-1 β (IL-1 β) at Week 12	175
6.3	Comparison of Atherosclerotic Plaque Thickness, and Tunica Intima/Tunica Media Thickness Ratio	176
6.4	Correlation (r) Between Atherosclerotic Plaque Thickness, Tunica Intima/Tunica Media Thickness Ratio and Serum Lipid Profile	177
6.5	Correlation Between Serum Intercellular Adhesion Molecule-1 (ICAM-1), Vascular Cell Adhesion Molecule-1 (VCAM-1) and Serum Lipid Profile	198
6.6	Correlation Between Serum Vascular Cell Adhesion Molecule-1 (VCAM-1) and Aortic Lesion Area Percentage	198
6.7	Effect of Trihoney and 1% Cholesterol Diet on Serum Homocysteine at Week 12	200
7.1	Effect of Trihoney and 1% Cholesterol Diet on Relative Liver Weight (%)	222
7.2	Baseline Liver Function Test	235
7.3	Liver Function Test at Week 12	236
7.4	Correlations (<i>r</i>) Between Serum Level of Liver Biochemical Parameters, Relative Liver Weight and Lipid Profile at Week 12	237
7.5	Effect of Trihoney on Insulin Resistance in Non-Alcoholic Fatty Liver Disease at Week 12	238
7.6	Effect of Trihoney on Activities of Superoxide Dismutase (SOD) and Glutathione Peroxidase (GPx) in Liver Homogenate of Non-Alcoholic Fatty Liver Disease (NAFLD) at Week 12	240

LIST OF FIGURES

Figure No.		
2.1	Distribution of NCDs Globally by Cause of Death for both Sexes	12
2.2	Pathogenesis of Atherosclerotic Lesion Involves Hypercholesterolemia Induced Oxidative Stress, Inflammation and Immune Mechanisms	33
2.3	Trihoney	81
3.1	Coconut Oil (A), Cholesterol Emulsion (B)	92
3.2	Animal Housing (A). Animal Treatment (B). Animal Sacrificing (C)	98
3.3	Flow of the Experiment	99
3.4	Flow of Aortic and Liver Tissue Homogenate Preparation	103
3.5	The ELISA Procedure for Determination of Serum MDA	104
3.6	The ELISA Procedure for Determination of Tissue Homogenate MD	A 105
4.1	The ELISA Procedure for Determination of Serum IL-1 β	114
4.2	The ELISA Procedure for Determination of Serum IL-6 and TNF- $\!\alpha$	115
4.3	Follow Up of Animal's Food Intake and Body Weight During the Experiment	118
4.4	The Effects of Trihoney on Cardiovascular Risk Ratio (TC/HDL)	122
5.1	Assay Protocol for Superoxide Dismutase Enzyme Activity in Serum and in Tissue Homogenate	142
5.2	Assay Protocol for Glutathione Peroxidase Activity in Serum and in Tissue Homogenate	143
5.3	The ELISA Procedure for Determination of Serum Ox-LDL	145
5.4	Effects of Trihoney on Activities of Superoxide Dismutase (SOD) and Glutathione Peroxidase (GPx) in the Serum at Week 12	147
5.5	Effects of Trihoney on Activity of Superoxide Dismutase (SOD) and Glutathione Peroxidase (GPx) in Aortic Homogenate at Week 12	149
5.6	Effects of Trihoney and 1% Cholesterol Diet on Serum Oxidised Low-Density Lipoprotein (Ox-LDL) at Week 12	150

6.1	The ELISA Procedure for Determination of Serum ICAM-1 (CD54)	169
6.2	The ELISA Procedure for Determination of Serum VCAM-1	170
6.3	The ELISA Procedure for Determination of Serum Homocysteine Concentration	171
6.4	Comparison of Percentage of Atherosclerotic Aortic Lesions	172
6.5	Effect of Trihoney on Quantity of Atherosclerotic Plaques	173
6.6	Photomicrograph of Entire Cross Section of Aorta	178
6.7	Photomicrograph of Aorta Histology from Control Group (C)	179
6.8	Photomicrograph of Aorta Histology from Control Group Received Trihoney (C+H)	179
6.9	Photomicrograph of Aorta Histology from High Cholesterol Diet (HCD) Group Received 1% Cholesterol Diet	180
6.10	Photomicrograph of Aorta Histology from Atherogenic Group Received 0.3g/kg/day Trihoney (HCD+H ₁)	180
6.11	Photomicrograph of Aorta Histology from Atherogenic Group Received 0.6g/kg/day Trihoney (HCD+H ₂)	181
6.12	Photomicrograph of Aorta Histology from Atherogenic Group Received 2mg/kg/day Atorvastatin (HCD+At)	181
6.13	Photomicrograph of Aorta Histology from Control Group (C)	184
6.14	Photomicrograph of Aorta Histology from Control Group Received Trihoney (C+H)	184
6.15	Photomicrograph of Atheroma Histology from High Cholesterol Diet (HCD) Group Received 1% Cholesterol Diet	185
6.16	Photomicrograph of Atheroma Histology from Atherogenic Group Received 0.3g/kg/day Trihoney (HCD+H ₁)	185
6.17	Photomicrograph of Atheroma Histology from Atherogenic Group Received 0.6g/kg/day Trihoney (HCD+H ₂)	186
6.18	Photomicrograph of Atheroma Histology from Atherogenic Group Received 2mg/kg/day Atorvastatin (HCD+At)	186
6.19	Photomicrograph of Whole Aorta Sections	188
6.20	Photomicrograph of Aorta Histology from Control Group (C)	190

6.21	Photomicrograph of Aorta Histology from High Cholesterol Diet (HCD) Group Received 1% Cholesterol Diet	191
6.2	Photomicrograph of Aorta Histology from Atherogenic Treatment Group Received Trihoney 0.3/kg/day (HCD+H ₁)	192
6.23	Photomicrograph of Aorta Histology from Atherogenic Treatment Group Received Trihoney 0.6/kg/day (HCD+H ₂)	193
6.24	Photomicrograph of Aorta Histology from Atherogenic Treatment Group Received Atorvastatin 2mg/kg/day (HCD+At)	194
6.25	Effect of Trihoney and 1% Cholesterol Diet on Serum Intercellular Adhesion Molecule-1 (ICAM-1) at Week 12	195
6.26	Effect of Trihoney and 1% Cholesterol Diet on Serum Vascular Cell Adhesion Molecule-1 (VCAM-1) at Week 12	197
7.1	Macromorphological and Cut Surface of Liver	223
7.2	Macromorphological and Cut Surface of Liver	224
7.3	Photomicrograph of Liver Histology from Control Group (C)	227
7.4	Photomicrograph of Liver Histology from Control Group Received 0.6g/kg/day Trihoney (C+H)	228
7.5	Photomicrograph of Liver Histology from Atherogenic Group Received 1% Cholesterol Diet (HCD)	229
7.6	Photomicrograph of Liver Histology from Atherogenic Group Received 0.3g/kg/day Trihoney (HCD+H ₁)	230
7.7	Photomicrograph of Liver Histology from Atherogenic Group Received 0.6g/kg/day Trihoney (HCD+H ₂)	231
7.8	Photomicrograph of Liver Histology from Atherogenic Group Received 2mg/kg/day Atorvastatin (HCD+At)	232
7.9	Effect of Trihoney on Lipid Peroxidation (Malondialdehyde-MDA) in Liver Homogenate of Non-Alcoholic Fatty Liver Disease at Week 12	241
8.1	Postulated Protective Mechanistic Pathways of Trihoney Against Atherosclerosis and NAFLD	263

LIST OF ABBREVIATIONS

AACE American Association of Clinical Endocrinologists

ABC ATP-binding cassette

ACC American College of Cardiology

ACS Acute coronary syndrome
AHA American heart association
ALP Alkaline phosphatase
ALT Alanine aminotransferase

ASCVDs Atherosclerotic cardiovascular diseases

AST Aspartate aminotransferase ATP Adenosine triphosphate

BMI Body mass index

CAT Catalase

CBB Coomassie Brilliant Blue CCl₄ Carbon tetrachloride

Cd Cadmium

CETP Cholesteryl ester transfer protein

CHD Coronary heart disease CHF Congestive heart failure

cm Centimetre

COX-1 Cyclooxygenase -1
COX-2 Cyclooxygenase -2
CRP C-Reactive protein
CSF Colony-stimulating factor
CVDs Cardiovascular diseases

DALY Disability-adjusted life year loss
DASH Dietary advice to stop hypertension

DNA Deoxyribonucleic acid DNL De novo lipogenesis

DNS Department of nutrition sciences
DPX Distyrene Plasticizer Xylene

EF Extra cellular fat
EL External elastic lamina

EMA European medicines agency
EPCs Endothelial progenitor cells
ER Endoplasmic reticulum

FAO Food and agriculture organization FDA Food and drug administration

FFA Free fatty acids FM Foamy macrophage

FSH Follicle stimulating hormone FSMCs Foamy smooth muscle cells

g Gram

GGT Gamma-glutamyl transferase

GIT Gastrointestinal tract
GNI General national income

GPx Glutathione peroxidase H&E Haematoxylin and eosin H₂O₂ Hydrogen peroxide

HDL-c High density lipoprotein cholesterol

HOMA-IR Homeostatic model assessment of insulin resistance

HRP Horseradish peroxidase

hs-CRP High-sensitivity C reactive protein ICAM-1 Intercellular adhesion molecule-1 IDL Intermediate low-density lipoprotein

IHD Ischaemic heart disease

IIUM International Islamic University Malaysia

IL-1β Interleukin-1beta
IL-6 Interleukin-6
Kcal Kilocalorie
kg Kilogram
L Littre

LDL-c Low-density lipoprotein cholesterol LDL-R Low-density lipoprotein receptor

LFT Liver function test
LH Luteinizing hormone

LOX-1 Lectin-like oxidized low-density lipoprotein receptor-1

LPC Lysophosphatidylcholine

LXRα Liver X receptors

M Mean

MDA Malondialdehyde

MCP-1 Monocyte chemoattractant protein-1
M-CSF Macrophage-colony stimulating factor
MDR TB Multidrug resistance tuberculosis

 $\begin{array}{ccc} mg & Milligram \\ mL & Millilitre \\ \mu L & Microliter \\ \mu m & Micrometre \\ mm & Millimetre \\ mmol & Millimole \\ \mu mol & Micromole \\ \end{array}$

MMP-1 Metalloproteinase-1 MMP-9 Metalloproteinase-9 MNC Mononuclear cell

mRNA Messenger ribonucleic acid MRSA Methicillin-resistant *S. aureus*

MT Masson's trichrome

mU Milliunit

NADPH Nicotinamide adenine dinucleotide phosphate

NAFLD Non-alcoholic fatty liver disease NASH Non-alcoholic steatohepatitis NBF Neutral buffer formalin

NCCFN National coordinating committee on food and nutrition Malaysia

NCDs Noncommunicable diseases

NCEP National Cholesterol Education Program

NF-κB Nuclear factor kappa B NLRP3 Nod-like receptor protein 3

NO Nitric oxide

NZW New Zealand white rabbits

O2⁻ Superoxide anion OD Optical density ONOO⁻ Peroxynitrite

Ox-LDL Oxidised low-density lipoprotein

PBS Phosphate-buffered saline
PBUH Peace and blessings upon him
PDGF Platelets derived growth factor

PKC Phosphate kinase C

PPAR-α Peroxisome proliferator-activated receptor-alpha PCSK-9 Proprotein convertase subtilisin/kexin type-9

RDI Recommended daily intake

RM Ringgit Malaysia

ROS Reactive oxygen species

RSM Response Surface Methodology sdLDL Small-density low-density lipoprotein siRNA Small interfering RNA molecules

SMCs Smooth muscle cells SOD Superoxide dismutase SR Scavenger receptor

SREBP1c Sterol regulatory element-binding protein 1c SREBP2 Sterol regulatory element-binding protein 2

TA Tunica adventitiaT. Bil Total bilirubinTC Total cholesterol

TC/HDL Cardiovascular risk ratio

TG Triglycerides

TGF-β Transforming growth factor-beta

TI Tunica intima

TIA Transient ischemic attack

TM Tunica media

TMAO Trimethylamine N-oxide TNF- α Tumour necrosis factor-alpha

TPC Total phenolic content

TXNIP Thioredoxin-interacting protein

U Unit

UN United nations
US United states

US FDA United States food and drug administration

VCAM-1 Vascular cell adhesion molecule-1 VLDL Very-low density lipoprotein WHO World health organization

LIST OF SYMBOLS

-	Hyphen-minus
+	Plus sign
=	Equal sign
%	Percent sign
&	Ampersand
(Left parenthesis
)	Right parenthesis
,	Comma
	Full stop
/	Solidus
:	Colon
;	Semicolon
[Left square bracket
]	Right square bracket
<	Less-than sign
>	Greater-than sign
≥	Equal to or greater- than sign
±	Plus-minus sign
0	Degree sign